

Message

From: Fields, Jenifer [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BA5842FD6C034D6986182F3F0954D257-FIELDS, JEN]
Sent: 7/23/2020 6:00:33 PM
To: Bain, Andrea [Bain.Andrea@epa.gov]
Subject: FW: Agenda for CRW call on Thurs 7/23
Attachments: CRW-agenda_7-23-20sjm.docx

DON't include this- it's the wrong one.

Jenifer Fields, Chief of Staff
EPA Region 3 (3RA00)
1650 Arch St
Philadelphia, PA 19103
Phone (215) 814-3165
Fax (215) 814-2901

From: Melvin, Karen <Melvin.Karen@epa.gov>
Sent: Thursday, July 23, 2020 1:59 PM
To: Fields, Jenifer <fields.jenifer@epa.gov>
Subject: FW: Agenda for CRW call on Thurs 7/23

Jen, I just sent this Andrea to include on the scheduler.

KAREN MELVIN, DIRECTOR
ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION
US EPA, REGION 3
1650 ARCH STREET
PHILADELPHIA, PA 19103
215-814-3275

From: Rogers, Rick <rogers.rick@epa.gov>
Sent: Thursday, July 23, 2020 1:58 PM
To: Melvin, Karen <Melvin.Karen@epa.gov>
Subject: FW: Agenda for CRW call on Thurs 7/23

Here's what I sent to PADEP

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Rogers, Rick
Sent: Wednesday, July 22, 2020 3:42 PM
To: Bebenek, Maria <mbebenek@pa.gov>; Landis, Victor <vlandis@pa.gov>
Cc: Pratt, Stacie <Pratt.Stacie@epa.gov>; Maslowski, Steven <Maslowski.Steven@epa.gov>
Subject: Agenda for CRW call on Thurs 7/23

Maria, Victor:

We apologize for the lateness of getting this to you and the lack of coordination. The attached agenda was sent to CRW this morning by Jenifer Fields. CRW wrote back this afternoon with a list of topics they would like to cover, which I've copied below. CRW stated they wanted to cover these topics with a Powerpoint presentation that may take 45 minutes to get through. Please let us know if you have any questions.

From CRW:

- *State of the Assets Summary*
- *Cost Data Review*
- *Topic 1: 85% Capture Analyses and Results*
 - *Baseline level of control, impervious acres managed, total cost, affordable implementation period*
- *Topic 2: Cost Benefit Analysis/Affordability Analysis*
- *Topic 3: Proposed Adaptive Management Process*
 - *Series of 5-Year Project Lists and Budgets*
- *Topic 4: Proposed Accountability and Verification Measures*
- *Next Steps: Call/Meeting*

Rick

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762